

**GOVERNMENT OF MIZORAM
DIRECTORATE OF DISASTER MANAGEMENT & REHABILITATION**

Dated Aizawl, the 30/5/2017

SEAL TENDER

No.D.19015/1/2015-DTE(DMR) : Seal Tender are invited on behalf of the Governor of Mizoram from the Manufacturer/Dealers/Authorized Agents/Any interest persons who are bonafide citizen of India for supply of the following items of essential Search & Rescue equipments for State Emergency Operation Centre (SEOC), District Emergency Operation Centre (DEOC) and State Disaster Response Force (SDRF) which will be received by the Director, Disaster Management & Rehabilitation, Mizoram Aizawl upto 9.6.2017 2017 at 2:00 PM. The quotation will be opened on the same day at 2:00 pm in the office chamber of Director, DM&R.

SI No	Description	Specification	Qty	Remarks
1	LED Search Light	<p>Length: 8.75" (22.2 cm)</p> <ul style="list-style-type: none"> • Weight with batteries: 44.7 oz (1267 gr) • Weight without batteries: 0.0 oz (0 gr) • Body: ABS • O-ring: EPDM • Lens: Polycarbonate (PC) • Shroud: EXL • Switch type: Push Button • Light modes: high / low / flashing • Battery size: 18650 • Battery type: lithium-ion • Battery quantity: 6 • Batteries included: yes • Charge time: 8 hrs • Battery level indicator: RGB LED • Volts: 7.2 v • Lamp type: LED 	35	
2	Lock Carabiner	Colour – Black, weight-75g, Major-24 Kn	40	
3	Rescue Pulley	Rescue Pulley – 36 KN	40	
4	Ascender Jumer	<p>Minimum – 4 KN</p> <p>Weight: 165 g</p> <p>Rope compatibility: 8 to 13 mm</p> <p>Certification(s): CE EN 567, UIAA</p> <p>Available in left-handed and right-handed versions</p>	40	

5	Figure of 8	Minimum – 20 KN, Weight: 110 g Material: aluminum For use on ropes between 8 and 13 mm in diameter	40	
6	Mitten		80	
7	Rappelling Rope	Diameter: 10,5 mm Weight per meter: 75 g Strength tied with figure-eight knot: 15 kN Strength with sewn termination: 22 kN Impact force (factor 0,3): 5,2 kN	50rollX 50 m	
8	Seat Harness	<ul style="list-style-type: none"> • One Size Fits All • Comfortable to Wear • Adjustable Waistband • Adjustable Leg Straps • One Front Attachment Point <ul style="list-style-type: none"> • CE. EN 12277: 2007 • Waist size adjustable: 60 - 101cms (23¾" - 39¾") • Leg Loops max: 67cms (26½") • Minimum – 8 KN 	70	
9	Mega phone	Power out : 16 watt rated/20 watt max area. Power source : 12 V DC,8Xum-2 cells. Microphone: Unidirectional. Dimensions: Horn dia 220mm. Length 370 mm. Weight : 2 Kgs (Approx) Dry cell and 12 V car battery operation All ABS body, sturdy yet light weight. Built in Siren. Microphone with volume control& press to talk switch.	40	
10	Rope Ladder with alluminium	24 dia,10 m length	50	
11	First Aid Bag	Model SJF M1 (or equivalent) (Details can be seen at annexure)	35	
12	Outboard Engine	2 stroke, 30HMHS Short Shaft Engine Type 2-Stroke, In-line Displacement 496.0 cc Bore x Stroke 59.5 x 59.5 mm Recommended Max RPM 5000-5500 Lubrication System Pre-mixing Fuel Management Carb Ignition CDI Starter System Manual Lighting Coil 12V - 80W (MH Alternator Output 12V - 6A with	8	

		<p>Operation Method</p> <p>Trim & Tilt Method</p> <p>Fuel Tank Capacity</p> <p>Gear Ratio</p> <p>OEDA Emission Rating</p>	<p>rectifier (W)</p> <p>Remote control (W), Tiller handle (MH)</p> <p>Manual tilt</p> <p>24.0 L</p> <p>2.08 : 1</p> <p>????</p>		
13	Cut-Off Saw	<p>Displacement ; 98.5 cc.</p> <p>Power output : 5.0 kW6.8 hp</p> <p>Weight * ø 400 mm : 12.7.kg</p> <p>Max.cutting dept : approx. 145 mm</p>		4	
14	Diamond Cutting wheel for Concrete for Cut-Off Saw		dia 400mm	35	
15	Cutting wheel for metal for Cut-Off Saw		dia 400mm	30	
16	LED Light	<p>RALS Remote Area 4 LED Lighting System, Colors</p> <p>Depth - 24.75</p> <p>Height - 11.60</p> <p>Width - 20.25</p>		4	
17	Demolition Hammer	<ul style="list-style-type: none"> • Rated power input-1500 W • Impact energy-16,8 - 25 J • Impact rate at rated speed-900 - 1890 bpm • Weight-10.1 kg • Length-570 mm • Height-270 mm • Toolholder-SDS-max <p>Chiselling</p> <ul style="list-style-type: none"> • Vibration emission value ah-18.5 m/s² • Uncertainty K-2 m/s² 		4	
18	Human Life Detector	<p>WM-LCD Split Walkabout</p> <p>AP-T9 9ft Telescoping Articulating Pole</p> <p>AP-F3 3ft Articulating Pole</p> <p>LLC-1.4(2) Color Cameras</p> <p>AAM-TB Talkback Audio Module</p> <p>D-BAT (2) D Cell Battery Adapters</p> <p>It can further be summarized as follows:</p> <p>Case:</p> <p>Waterproof; 53" x 17" x 6"(134cm x 34cmx15cm)</p> <p>WS-RS-A9T: 37 lbs.(17kg)</p> <p>WS-TFRST:42 lbs.(19kg)</p> <p>Display:</p> <p>WalkAbout Monitor : Chest-mounted or hand-held;</p> <p>Weatherproof; 5" LCD; Resolution of 960 x</p>		2	

		<p>234</p> <p>Camera: LLC-1.4: White light illuminated (9 LEDS); Waterproof to 100ft; 270K pixels (320K PAL); .01 lux; 53 ° FOV WPC-3.5: White light illuminated (24 LEDS); Waterproof To 33ft; 380K pixels (438K PAL); .1lux; 79° FOV</p> <p>Audio Modules: Listen only: Highly-sensitive, omni-directional microphone; weatherproof; 1.2” dia x 2.5” L module; supplied with (2) sets of “earbuds” Talkback: Highly-sensitive, omni-directional microphone; weatherproof; 1.75’ dia x 3’L module; supplied with headphones with boom microphone and in-line “push-to-talk” switch</p> <p>Battery: BAT-2 Rechargeable 7.2V NiMH; 2hr charge time, 2hr run time (illumination off) D-BAT: Holds 8 alkaline D-cells in pouch ; 5hr run time</p> <p>Pole: AP-T9: 4ft (1.2M) collapsed; 9ft (2.7M) AP-F3: Fixed length of +/- 90° on both</p> <p>Operating Temperature: -4F to + 122f (-20C to +50C)</p>		
--	--	---	--	--

TERMS AND CONDITIONS

1. The samples or Brochures bearing all features of whole items should be submitted along with the tender.
2. Tender should be accompanied by the under mentioned Certificate and documents :
 - (a) Latest House Tax Payee Certificate issued by Revenue Department for Tribal Tenderers.
 - (b) Latest Mizoram VAT Clearance Certificate for Tenderer from Mizoram.
 - (c) Latest Professional Tax Clearance Certificate issued by Taxation Department / the appropriate District Council Authority for Tenderer from Mizoram. In case of any Firm is not an assesses of Professional Tax a certificate to the effect duly issued by the Competent Authority should be attached with the Tenderer.
 - (d) Latest Court Fee Stamp worth Rs.10/- and VAT Clearance Certificate for Non-Tribal Tenderer.
 - (e) A certificate copy of the latest Central/Mizoram Sales Tax Registration Certificate issued by the appropriate authority.
 - (f) Latest Income Tax Clearance Certificate for Non Tribal.
3. Earnest money of 2% of the quoted price of each of the items for Non Tribal Tenderers and 1% of the quoted price of each of the items for Tribal Tenderers should be deposited in the form of Banker Cheque/FDR/Bank Guarantee/Demand Draft issued by Nationalised Bank, or any Bank recognized or sponsored by Government duly pledged in favour of the Director, DM&R Govt. of Mizoram, Aizawl & the same should be submitted along with the Quotation. Quotations without FDR/Bank Guarantee/Demand Draft and other necessary documents hereafter mentioned will not be accepted. Earnest Money will be liable to forfeiture in case of short supply or supply of inferior quality of the quotation items.
4. The Tenderers should quote their rates both in figure and in words inclusive of all taxes for each of the items and should be FOR Aizawl for all items. Any correction must be initialed with date, otherwise the quotation will be treated as invalid.
5. The cover of the Quotations should be prominently subscribed as “SEALED TENDER FOR SUPPLY OF SEARCH & RESCUE EQUIPMENTS and should be addressed to the Director, Disaster Management & Rehabilitation Department, Govt. of Mizoram, Aizawl. In case, the quotation is sent by postal service, it should be registered with acknowledgement due. The Director of Disaster Management & Rehabilitation, Government of Mizoram will not be responsible for delay or late receipt of the tender document.
6. The Department is not bound to accept the lowest rates, and reserves the right to accept or reject any quotations without assigning any reason.
7. Successful Tenderers should be able to supply the materials within one month or specified time by the Department or DM&R. They should supply the materials exactly of the same make, type, quality, etc. of the sample submitted.
8. The materials supplied by the suppliers will be physically checked by appointed officers before acceptance. Payment of bills will be made only on acceptance and countersignature on the body of the bill by the accepting officer.
9. In the event of any dispute or controversy relating to the selection of supplier/materials supplied, the decision of the Secretary to Government of Mizoram, Disaster Management & Rehabilitation Department shall be final and binding.
10. Quotation submitted without following the above terms & conditions shall be summarily rejected.

11. Separate envelope should be used for TECHNICAL BID as well as for PRICE BID. The word "TECHNICAL BID/PRICE BID" shall be prominently marked on the top of the envelope separately. Both these bids shall further be put in one envelope and sealed properly before putting in the tender box duly super scribed. Tenderer(s) shall indicate complete specifications and all features of the items.
12. The Technical Bids will be opened first on 9/6/2017, at 2:00 pm and the Price Bids will be opened only after scrutiny of technical bid and technical evaluation of the system.
13. The tenderer can remain present himself or his authorize representative at the time of opening of tender.
14. A copy of terms and conditions duly signed by the tenderer, as a token of acceptance of the same should be attached alongwith the tender.
15. The tendering firm will also submit a certificate that the product offered by them is as per technical specifications of the tender.
16. All the bidders whose technical bid is declared qualified by the Purchase Committee will demonstrate their product before the Technical Evaluation Committee at a short notice.
17. Only manufacturers, authorized distributors/authorized dealers can participate in the tender, the firm should submit proof of their manufacturing, authorized dealership/distributor. This is subject to verification if necessary.
18. Incomplete tender/conditional tenders will not be accepted.
19. All SSI units registered with NSIC/DGS&D for this item as per specification are exempted from the EMD. They have to enclose valid registration document/exemption certificate with their tender.
20. Tenderer would not be permitted to alter or modify their bids after expiry of the deadline for receipt of Bids.
21. The quoted price must be inclusive of all taxes such as excise, sale tax/VAT and other charges etc. No claim for taxes/charges will be entertained at a later stage. Nothing over and above the quoted price would be payable to the successful bidder. Tenderer must quote the net price both in words as well as in figures. Any over writing/cutting etc. render the tender invalid.
22. The firm whose rates are accepted will have to deposit 2% of the total cost of the item as Performance Security in the shape of Bank Draft/Bank Guarantee FDR in favour of Director, DM&R Department, Mizoram before the supply order is placed to the firm. In case the firm does not complete the supply within the delivery period, liquidated damage charges will be charged @ 2% of total cost per month of the item and action will be taken to blacklisting the firm and forfeiture of its Security Money. No interest will be given on Security Money.
23. In case the firm fails to deposit the security money, the EMD of the firm will be forfeited.

24. The rates will be valid till supply of the item is completed, in all respect.
25. In case the firm fails to supply the items within stipulated delivery period, the item will be procured from the open market and the difference of cost, if any, will be recovered from the Security money and pending bills of the defaulting firm, by calling explanation after issuing notice.
26. The quantity of the items mentioned in the tender notice can be increased or decreased at any stage till the delivery of consignment is completed.
27. The payment will be made on receipt/acceptance of store in good condition as per prescribed specification. No advance payment will be made.
28. No claim for interest in case of delayed payment will be entertained by the Department.
29. The Purchase Committee reserve the right to relax any terms and condition in the government interest with the approval of competent authority.
30. The Purchase Committee reserve the right to reject any tender or all tenders without assigning any reason thereof.
31. In case of violation of any clause of contract/agreement deed, the explanation of the firm can be called by issuing show cause notice, if the reply is not found satisfactory. Security Money can be forfeited as well as action for blacklisting can also be taken prior to taking any legal action.
32. The tender will be rejected straight way without assigning any reasons if the firm involves in any criminal case, declared blacklisted by any Government/Semi-government Department/Agencies etc.
33. In case of any differences, the firm can be called for negotiation to patch up the differences on table prior to approaching court.
34. The bidder should carry a warranty/guarantee of subjected store for a period of at least one year.
35. In case of any litigation, the legal jurisdiction for settlement shall be Aizawl only.

Sd/-
(N.CHAKHAI)
Director,
Disaster Management & Rehabilitation
Mizoram : Aizawl.